



Version: A0

NMEQS-898

广州新莱福磁材有限公司

## 产品仕様书

# SUPPLY SPECIFICATION SHEET

客户名称: 意大利 DWDMP  
Customer:

品名: 磁胶  
Part Name: Magnetic sheeting

型号: NF04  
Drawing No.:

日期:  
Date: 2021-1-25

批准 Comfirmer	审核 Auditor	编制 Editor
汪晓阳	吴隆章	任治家
承认签署: APPROVED BY:		



Version: A0

NMEQS-898

**规格 (Size) :**

- 1、NF04 料 15M×1000×0.7mm/MUV/2.0mm Pole pitch/Matte white pvc
- 2、NF04 料 15M×1000×0.5mm/MUV/2.0mm Pole pitch/Matte white pvc
- 3、NF04 料 15M×1000×0.5mm/MUV/2.0mm Pole pitch

**尺寸和公差 (Dimensions: & Tolerance) :**

Item	Length (m)	Width (mm)	Thickness (mm)	Thickness of PVC (mm)
Size	15	1000	0.7	0.10
Tolerance	0/+0.6	-1/+5	±0.05	±0.01

Item	Length (m)	Width (mm)	Thickness (mm)	Thickness of PVC (mm)
Size	15	1000	0.5	0.13
Tolerance	0/+0.6	-1/+5	±0.05	±0.01

**磁性能 (Magnetic Properties) :**

Code	Br(Gs)	Hcb(Oe)	Hcj(Oe)	(BH)max (MGOe)
NF04	≧ 1400	≧ 1000	≧ 1600	0.50-0.65

**吸力 (Pull Strength) :**

Code	Thickness (mm)	Pole pitch (mm)	Pull (g/cm <sup>2</sup> )
NF04	0.50	2.0	≧24
NF04	0.70	2.0	≧35

### 产品保存 Storage:

工作条件：在周边温度  $-20^{\circ}\text{C}$  至  $+70^{\circ}\text{C}$  范围内可正常工作  
In the surrounding temperature  $-20^{\circ}\text{C}$  to  $+70^{\circ}\text{C}$  within the scope of the normal work

储存条件：  $25^{\circ}\text{C}$  和 50%相对湿度

Storage Condition:  $25^{\circ}\text{C}$  and 50% humidity conditions

保质期:原包装状态下自生产之日起贮存期为 12 个月

磁胶经充磁后是永磁体，在常温使用条件下，无强磁干扰，磁性能不会消退。

Shelf life: 12 months under original packaging condition

The magnetic force is permanent and will not degrade in normal temperature without strong magnetic interference.

### 产品包装 Packing:



入箱示意图 in carton



打托示意图 in pallet (quantity per pallet will be as actual)